COSTASUR 2.0 Symfony Code Map

Index
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

Page::addImages() — *Method in class* *Page*
Add images

Page::addImage() — *Method in class* *Page*
Add images

Selfmodif::addContent() — *Method in class* *Selfmodif*
Add contents

Zone::addMirrors() — *Method in class* *Zone*
Add mirrors

Zone::addMirror() — *Method in class* *Zone*
Add mirrors

SelfmodifRepository::addTexts() — *Method in class* *SelfmodifRepository*
Inserta un nuevo contenido en todos los idiomas, rellenando solo el idioma pasado

AssetsInstallCommand — *Class in namespace* *Costasur\ServiceBundle\Command*
» Clase creada generar los assets como links.

HelpFunctions::AssetsCommand() — *Method in class* *HelpFunctions*
» Funcion que genera assets como links y saca el resultado por pantalla

HelpFunctions::AsseticsCommand() — *Method in class* *HelpFunctions*
» Funcion que ejecuta assetic:dump assets como links y saca el resultado por pantalla

ArraysHelper — *Class in namespace* *Costasur\ServiceBundle\Helper*
Envía y procesa la gestión de emails del sistema

B

TranslateType::buildForm() — *Method in class* *TranslateType*

BannerController — *Class in namespace* *Costasur\WebBundle\Controller*

BaseController — *Class in namespace* *Costasur\WebBundle\Controller*

C

CostasurAdminBundle — *Class in namespace* *Costasur\AdminBundle*

Configuration — *Class in namespace* *Costasur\AdminBundle\DependencyInjection*
This is the class that validates and merges configuration from your app/config files

CostasurAdminExtension — *Class in namespace* *Costasur\AdminBundle\DependencyInjection*
This is the class that loads and manages your bundle configuration

CostasurDocumentationBundle — *Class in namespace* *Costasur\DocumentationBundle*

Configuration — *Class in namespace* *Costasur\DocumentationBundle\DependencyInjection*
This is the class that validates and merges configuration from your app/config files

CostasurDocumentationExtension — *Class in namespace* *Costasur\DocumentationBundle\DependencyInjection*
This is the class that loads and manages your bundle configuration

CostasurHTML5Bundle — *Class in namespace* *Costasur\HTML5Bundle*

CostasurModelBundle — *Class in namespace* *Costasur\ModelBundle*

Configuration — *Class in namespace* *Costasur\ModelBundle\DependencyInjection*

This is the class that validates and merges configuration from your app/config files

CostasurModelExtension — *Class in namespace* *Costasur\ModelBundle\DependencyInjection*
This is the class that loads and manages your bundle configuration

CacheClearCommand — *Class in namespace* *Costasur\ServiceBundle\Command*
» Clase creada para borrar la cache de Dev y Prod.

HelpFunctions::CommandInit() — *Method in class* *HelpFunctions*
» Funcion que pinta la cabecera y el nombre del comando

HelpFunctions::CacheCommand() — *Method in class* *HelpFunctions*
» Funcion que limpia cache en los entornos dev y prodejecuta assetic:dump assets como links y saca el resultado por pantalla

CostasurServiceBundle — *Class in namespace* *Costasur\ServiceBundle*

Configuration — *Class in namespace* *Costasur\ServiceBundle\DependencyInjection*
This is the class that validates and merges configuration from your app/config files

CostasurServiceExtension — *Class in namespace* *Costasur\ServiceBundle\DependencyInjection*
This is the class that loads and manages your bundle configuration

ForumController::categoryAction() — *Method in class* *ForumController*

PagesController::commonPageAction() — *Method in class* *PagesController*
Controlador para las páginas comunes de costasur

CostasurWebBundle — *Class in namespace* *Costasur\WebBundle*

Configuration — *Class in namespace* *Costasur\WebBundle\DependencyInjection*
This is the class that validates and merges configuration from your app/config files

CostasurRequest — *Class in namespace* *Costasur\WebBundle\Helpers*
CostasurRequest: Clase Request de Costasur

D

DocumentationCommand — *Class in namespace* *Costasur\DocumentationBundle\Command*
» Clase creada para generar la documentación de costasur.

DefaultController — *Class in namespace* *Costasur\DocumentationBundle\Controller*

DefaultController — *Class in namespace* *Costasur\ServiceBundle\Controller*

SitemapController::detectingAction() — *Method in class* *SitemapController*

E

DocumentationCommand::execute() — *Method in class* *DocumentationCommand*
» Funcion que se ejecuta con el comando costasur:generate:documenta

AssetsInstallCommand::execute() — *Method in class* *AssetsInstallCommand*
» Funcion que se ejecuta con el comando costasur:assets:install

CacheClearCommand::execute() — *Method in class* *CacheClearCommand*
» Funcion que se ejecuta con el comando costasur:cache:clear

PSRFixerCommand::execute() — *Method in class* *PSRFixerCommand*
» Funcion que se ejecuta con el comando costasur:assets:install

EmailsHelper — *Class in namespace* *Costasur\ServiceBundle\Helper*
Envía y procesa la gestión de emails del sistema

ErrorController — *Class in namespace* *Costasur\WebBundle\Controller*

ForumController::entryAction() — *Method in class* *ForumController*

F

ZoneRepository::findZoneBySubdomain() — *Method in class* *ZoneRepository*
Busca una zona dado la cadena correspondiente al subdominio en la url

ForumController — *Class in namespace* *Costasur\WebBundle\Controller*

G

Configuration::getConfigTreeBuilder() — *Method in class* *Configuration*
{@inheritDoc}

TranslateType::getName() — *Method in class* *TranslateType*

Configuration::getConfigTreeBuilder() — *Method in class* *Configuration*
{@inheritDoc}

Configuration::getConfigTreeBuilder() — *Method in class* *Configuration*
{@inheritDoc}

Image::getId() — *Method in class* *Image*
Get id

Image::getName() — *Method in class* *Image*
Get name

Image::getFile() — *Method in class* *Image*
Get file

Image::getAuthor() — *Method in class* *Image*
Get author

Image::getCaption() — *Method in class* *Image*
Get caption

Image::getDesc() — *Method in class* *Image*
Get desc

KeyValue::getKey() — *Method in class* *KeyValue*
Get key

KeyValue::getValue() — *Method in class* *KeyValue*
Get value

Mirror::getLang() — *Method in class* *Mirror*
Get lang

Mirror::getDir() — *Method in class* *Mirror*
Get dir

Mirror::getDefault() — *Method in class* *Mirror*
Get default

Page::getId() — *Method in class* *Page*
Get id

Page::getName() — *Method in class* *Page*
Get name

Page::getZones() — *Method in class* *Page*
Get zones

Page::getTemplate() — *Method in class* *Page*
Get template

Page::getUrl() — *Method in class* *Page*
Get url

Page::getTexts() — *Method in class* *Page*
Get texts

Page::getImages() — *Method in class* *Page*
Get images

Page::getIcon() — *Method in class* *Page*
Get icon

Page::getVisible() — *Method in class* *Page*
Get visible

Page::getKeywords() — *Method in class* *Page*
Get keywords

Page::getLoc() — *Method in class* *Page*
Get loc

Page::getType() — *Method in class* *Page*
Get type

Page::getOwner() — *Method in class* *Page*
Get owner

Selfmodif::getId() — *Method in class* *Selfmodif*
Get id

Selfmodif::getTypeContents() — *Method in class* *Selfmodif*
Get typeContents

Selfmodif::getLang() — *Method in class* *Selfmodif*
Get lang

Selfmodif::getContents() — *Method in class* *Selfmodif*
Get contents

Zone::getDefaultLang() — *Method in class* *Zone*

Zone::getMirror() — *Method in class* *Zone*

Zone::getId() — *Method in class* *Zone*
Get id

Zone::getName() — *Method in class* *Zone*
Get name

Zone::getKey() — *Method in class* *Zone*
Get key

Zone::getParents() — *Method in class* *Zone*
Get parents

Zone::getDomain() — *Method in class* *Zone*
Get domain

Zone::getEms() — *Method in class* *Zone*
Get ems

Zone::getLevel() — *Method in class* *Zone*
Get level

Zone::getLoc() — *Method in class* *Zone*
Get loc

Zone::getMirrors() — *Method in class* *Zone*
Get mirrors

Zone::getDistance() — *Method in class* *Zone*
Get distance

PageRepository::getIndexPage() — *Method in class* *PageRepository*
Devuelve la página "index" para una zona dada

PageRepository::getVisiblePagesFromZone() — *Method in class* *PageRepository*
Devuelve todas las páginas visibles de una zona

SelfmodifRepository::getTexts() — *Method in class* *SelfmodifRepository*
Devuelve todos los contenidos de un tipo dado

SelfmodifRepository::getText() — *Method in class* *SelfmodifRepository*
Devuelve el valor de un contenido dado

ZoneRepository::getZoneMirror() — *Method in class* *ZoneRepository*
Devuelve el mirror correspondiente a un dominio

ZoneRepository::getMultipleZoneMirror() — *Method in class* *ZoneRepository*
Igual que @getZoneMirror, pero adaptada a arrays haciendo una sola consulta a base de datos

Configuration::getConfigTreeBuilder() — *Method in class* *Configuration*
{@inheritDoc}

BaseController::getTextsPage() — *Method in class* *BaseController*

Configuration::getConfigTreeBuilder() — *Method in class* *Configuration*

{@inheritDoc}

CostasurRequest::getPathInfo() — *Method in class* *CostasurRequest*
{@inheritdoc} Elimina la barra '/' del final de la URL.

UrlExtension::getFilters() — *Method in class* *UrlExtension*

UrlExtension::getName() — *Method in class* *UrlExtension*

H

$Page — *Property in class* *Page*
Textos preparados para mostrar en html

$Zone — *Property in class* *Zone*
Textos preparados para mostrar en html

HelpFunctions — *Class in namespace* *Costasur\ServiceBundle\Command\Helpers*
» Clase de helper que contiene comandos comunes del sistema.

I

TranslateController::indexAction() — *Method in class* *TranslateController*

TranslateController::insertAction() — *Method in class* *TranslateController*

DefaultController::indexAction() — *Method in class* *DefaultController*

Image — *Class in namespace* *Costasur\ModelBundle\Document*

DefaultController::indexAction() — *Method in class* *DefaultController*

NoticesController::indexAction() — *Method in class* *NoticesController*
Controlador para las páginas index de las noticias

PagesController::indexAction() — *Method in class* *PagesController*
Controlador para las páginas index de cada zona

TourController::indexAction() — *Method in class* *TourController*
Controlador para la página index de los circuitos

K

KeyValue — *Class in namespace* *Costasur\ModelBundle\Document*

L

CostasurAdminExtension::load() — *Method in class* *CostasurAdminExtension*
{@inheritDoc}

CostasurDocumentationExtension::load() — *Method in class* *CostasurDocumentationExtension*
{@inheritDoc}

CostasurModelExtension::load() — *Method in class* *CostasurModelExtension*
{@inheritDoc}

LinksHelper — *Class in namespace* *Costasur\ModelBundle\Helper*
Parseador/Generador de autoenlaces, se coloca como helper porque necesita acceder a base de datos, algo que no sería elegante hacer desde el modelo aunque conceptualmente podría ir dentro de la clase Page.

CostasurServiceExtension::load() — *Method in class* *CostasurServiceExtension*
{@inheritDoc}

MainExtension::load() — *Method in class* *MainExtension*
{@inheritDoc}

M

Mirror — *Class in namespace* *Costasur\ModelBundle\Document*

LinksHelper::MakeAutolinks() — *Method in class* *LinksHelper*
MakeAutolinks($textIds, $domainId, $lang)

ErrorController::manageAction() — *Method in class* *ErrorController*

ForumController::mainAction() — *Method in class* *ForumController*

ModifController — *Class in namespace* *Costasur\WebBundle\Controller*

StaticPagesController::mapMainAction() — *Method in class* *StaticPagesController*

MainExtension — *Class in namespace* *Costasur\WebBundle\DependencyInjection*
This is the class that loads and manages your bundle configuration

N

TranslateController::newAction() — *Method in class* *TranslateController*

NoticesController — *Class in namespace* *Costasur\WebBundle\Controller*

NoticesController::noticeAction() — *Method in class* *NoticesController*
Controlador para mostrar una noticia

O

UrlListener::onDomainParse() — *Method in class* *UrlListener*
Esté metodo analiza la url de la request, y extrae la información del subdominio, dado que el routing symfony no lo hará hasta la 2.2.

P

Page — *Class in namespace* *Costasur\ModelBundle\Document*

LinksHelper::process() — *Method in class* *LinksHelper*
Calcula los autolinks para el array de textos y devuelve un array con los autolinks calculados en html.

LinksHelper::parseLinks() — *Method in class* *LinksHelper*
Convierte los autolinks de un texto en enlaces reales

PageRepository — *Class in namespace* *Costasur\ModelBundle\Repository*
PageRepository

PrintFunctions — *Class in namespace* *Costasur\ServiceBundle\Command\Helpers*
» Clase de helper para la salida gráfica de los comandos de consola.

PrintFunctions::PrintHeadSquare() — *Method in class* *PrintFunctions*
» Funcion que pinta la cabecera dentro de un recuadro

PrintFunctions::PrintHeadItalic() — *Method in class* *PrintFunctions*
» Funcion que pinta la cabecera de costasur

PrintFunctions::PrintHeadOld() — *Method in class* *PrintFunctions*
» Funcion que pinta la cabecera antigua

PrintFunctions::PrintComandName() — *Method in class* *PrintFunctions*
» Funcion que pinta el nombre del comando que estamos ejecutando y sus argumentos

PrintFunctions::PrintHeadLine() — *Method in class* *PrintFunctions*
» Funcion que pinta cabeceras para las órdenes que ejecutamos de forma suave

PrintFunctions::PrintHardLine() — *Method in class* *PrintFunctions*
» Funcion que pinta cabeceras para una orden de manera colorida

PrintFunctions::PrintOk() — *Method in class* *PrintFunctions*
» Funcion que pinta un ok al final el proceso

PrintFunctions::PrintError() — *Method in class* *PrintFunctions*
» Funcion que pinta un texto de error al final el proceso

PrintFunctions::PrintDone() — *Method in class* *PrintFunctions*

» Funcion que pinta un Proceso Completado !! al final el proceso

PSRFixerCommand — *Class in namespace* *Costasur|ServiceBundle|Command*
» Clase creada generar los assets como links.

PagesController — *Class in namespace* *Costasur|WebBundle|Controller*

R

Page::removeImage() — *Method in class* *Page*
Remove images

Selfmodif::removeContent() — *Method in class* *Selfmodif*
Remove contents

Zone::removeMirror() — *Method in class* *Zone*
Remove mirrors

S

TranslateController::saveAction() — *Method in class* *TranslateController*

Image::setId() — *Method in class* *Image*
Set id

Image::setName() — *Method in class* *Image*
Set name

Image::setFile() — *Method in class* *Image*
Set file

Image::setAuthor() — *Method in class* *Image*
Set author

Image::setCaption() — *Method in class* *Image*
Set caption

Image::setDesc() — *Method in class* *Image*
Set desc

KeyValue::setKey() — *Method in class* *KeyValue*
Set key

KeyValue::setValue() — *Method in class* *KeyValue*
Set value

Mirror::setLang() — *Method in class* *Mirror*
Set lang

Mirror::setDir() — *Method in class* *Mirror*
Set dir

Mirror::setDefault() — *Method in class* *Mirror*
Set default

Page::setName() — *Method in class* *Page*
Set name

Page::setZones() — *Method in class* *Page*
Set zones

Page::setTemplate() — *Method in class* *Page*
Set template

Page::setUrl() — *Method in class* *Page*
Set url

Page::setTexts() — *Method in class* *Page*
Set texts

Page::setIcon() — *Method in class* *Page*
Set icon

Page::setVisible() — *Method in class* *Page*

Set visible

Page::setKeywords() — *Method in class* *Page*
Set keywords

Page::setLoc() — *Method in class* *Page*
Set loc

Page::setType() — *Method in class* *Page*
Set type

Page::setOwner() — *Method in class* *Page*
Set owner

Selfmodif — *Class in namespace* *Costasur\ModelBundle\Document*

Selfmodif::setTypeContents() — *Method in class* *Selfmodif*
Set typeContents

Selfmodif::setLang() — *Method in class* *Selfmodif*
Set lang

Zone::setName() — *Method in class* *Zone*
Set name

Zone::setKey() — *Method in class* *Zone*
Set key

Zone::setParents() — *Method in class* *Zone*
Set parents

Zone::setDomain() — *Method in class* *Zone*
Set domain

Zone::setEms() — *Method in class* *Zone*
Set ems

Zone::setLevel() — *Method in class* *Zone*
Set level

Zone::setLoc() — *Method in class* *Zone*
Set loc

Zone::setDistance() — *Method in class* *Zone*
Set distance

LinksHelper::stripAutolinks() — *Method in class* *LinksHelper*
Elimina los tags de autolinks para qe el usuario no interfiera con ello sen el momento de editar los textos

SelfmodifRepository — *Class in namespace* *Costasur\ModelBundle\Repository*
PageRepository

HelpFunctions::ScanDirectories() — *Method in class* *HelpFunctions*
» Funcion que nos escanea un directorio y nos devuelve en un array los directorios que contiene de forma limpia.

ArraysHelper::setKeyArrayWithField() — *Method in class* *ArraysHelper*

EmailsHelper::sendMail() — *Method in class* *EmailsHelper*
Envía uno o vario emails a uno o varios destinatarios mediante el bundle Swiftmailer, pasandole un texto o una vista ya renderizada.

BannerController::standardAction() — *Method in class* *BannerController*

BaseController::setContainer() — *Method in class* *BaseController*

ModifController::saveAjaxLiveAction() — *Method in class* *ModifController*

SitemapController — *Class in namespace* *Costasur\WebBundle\Controller*

StaticPagesController — *Class in namespace* *Costasur\WebBundle\Controller*

UrlExtension::setSession() — *Method in class* *UrlExtension*

T

TranslateController — *Class in namespace* *Costasur\AdminBundle\Controller*

TranslateType — *Class in namespace* *Costasur\AdminBundle\Form*

TourController — *Class in namespace* *Costasur\WebBundle\Controller*

TourController::tourAction() — *Method in class* *TourController*
Controlador para mostrar un circuito

U

SelfmodifRepository::updateTexts() — *Method in class* *SelfmodifRepository*
Actualiza un array de contents para un idioma y tipo dado que viene en el array.

UrlListener — *Class in namespace* *Costasur\WebBundle\Listener*

UrlExtension — *Class in namespace* *Costasur\WebBundle\Twig*

UrlExtension::urlFilter() — *Method in class* *UrlExtension*
Filtra las urls de costasur para los distintos entornos, para que los enlaces sigan funcionando independientemente del entorno en el que se ejecute la aplicación

W

StaticPagesController::weatherAction() — *Method in class* *StaticPagesController*

Z

Zone — *Class in namespace* *Costasur\ModelBundle\Document*

ZoneRepository — *Class in namespace* *Costasur\ModelBundle\Repository*
ZoneRepository

_

Page::__construct() — *Method in class* *Page*

Selfmodif::__construct() — *Method in class* *Selfmodif*

Zone::__construct() — *Method in class* *Zone*

LinksHelper::__construct() — *Method in class* *LinksHelper*

HelpFunctions::__construct() — *Method in class* *HelpFunctions*
» Constructor: Inyectamos estas variables para poder usar sus metodos dentro de la clase

PrintFunctions::__construct() — *Method in class* *PrintFunctions*
» Constructor: Inyectamos estas variables para poder usar sus metodos dentro de la clase.

EmailsHelper::__construct() — *Method in class* *EmailsHelper*